

Neurohacking 419: Examples of Contamination of AI BCPS in a Person

Here is what contamination of an Artificial Intelligence AI Bio Cyber Physical System BCPS looks like from command line transmitter outputs, emulating wifi access points WAPs from team member.



BRANDON IGLESIAS, CHEM.E.

JAN 13, 2024



14



4



2

Share



If anyone is curious what contamination of an Artificial Intelligence AI Bio Cyber Physical System BCPS non-invasive ni brain-machine-interface BMI (niBMI) looks like, here is one of our team members that got completely contaminated and neurohacked by NeuroStrike technology in 2022. The contamination is caused by mesogens, graphenes and self-replicating nanotechnology, which is attacked to the human body at various central nervous system CNS locations.

Neurohacking Attack Vectors

Based upon the reverse engineering of a neuroweapon attack, contamination can occur through the following neurohacking vectors:

1. Hacked via neurotechnology enabled hardware pipeline to ChinaCCP AI BCPS Xi's Magic Weapon (think Hisense smart tvs as pipeline, Huawei smart phones and affiliated smart phone hardware by ChinaCCP regime, smart hardware and wetware with neurotech) and apps, specifically Tik Tok, as content delivery flows through the pipeline.
2. Hacked via Directed Energy Weapon DEW to disrupt the synthetic biology non-invasively dosed machine-brain-interface in your body, then cyberhackers attack all devices around you to then reprogram you and then leave your niBMI open to attack to all surrounding environmental synthetic biology to further contaminate you.

3. Hacked via going off-grid, no smart phone protection, without a full formed niBMI interface that has shielded you.
4. Hacked via dirty harmonics on electrical grid while self-replicating nanotechnology is assembling, thereby linking you to your neighbors through the mesogen, graphenes and self-replicating nanotechnology.
5. Hacked via damaged niBMI from a Tramatic Brain Injury (TBI, such as bumping ones head and hearing crunchy sounds, not normal, but indicative of synthetic biology) or Unconventional Brain Injury (UBI, DEW / Non-Kinetic Threat NKT reference above), that then reforms from surrounding self-replicating pervasive neurotechnology (mesogens, graphenes and self replicating nanotech), that is reformed while linked with acoustical and vibrational frequencies within surrounding environment.
6. Hacked via environmental accumulation of graphenes mesogens and self-replicating nanotechnology, while utilizing smart (neurotech) enabled pipelines by ChinaCCP and using content delivered optogenetically through apps such as Tik Tok. Keep in mind synthetic biology overlays with your brain, central nervous system and visual cortex.
7. Hacked, based upon dormant synthetic biology mesogen, graphene and self-replicating nanotech “globule” in your body, such that when you are by non-NATO alliance, but ChinaCCP coalition neurotechnology enabled hardware and smart devices (inclusive of people), the “globule” gets re-activated and then phones home to ChinaCCP coalition AI BCPS to then re-add you to their Social Credit Monitoring System and “Great Firewall” being offensively deployed on democratic nations, where they can cherry pick non-ChinaCCP intellectuals, scientists, engineers, key technical people, politicians and government officials (even if they themselves are not using ChinaCCP Tik Tok content delivery pipeline, due to environmental neurotechnology hacks from smart device hardware or wetware neurotechnology pipelines going back to ChinaCCP AI BCPS Xi’s Magic Weapon, NeuroStrike. Robert McCreight at National Defense University NDU is the subject matter expert on Neurostrike weapons and has been warning the West for at least a decade, due to his experience with said technology.

Evidence. Output from command line interface using LINUX/UNIX operating system commands to scan and then display:

Brandon's Substack is a reader-supported publication. To receive new posts and support my work, consider becoming a free or paid subscriber.

TIFVISION@PROTONMAIL.COM

Subscribe

```
:-$ nmcli dev wifi rescan  
:-$ nmcli dev wifi
```

Here is the output from the text file to the nmcli dev wifi command. There are no actual wifi access points in the remote country area. This is all broadcasted from the team member's body, brain and central nervous system due to contamination. The wifi names were learned by the mesogen, graphene and self replicating nanotechnology globules within the body of the team member. Based upon the team member's state of mind (EEG patterns) the transmitted wifi networks change. Therefore, EEG and energy levels of the human body when connected to an AI BCPS directly effect the transmitted frequency distribution and self-learned neural network (wetware) names. Examples of state of mind: angry, happy, sad, etc. that directly alter the broadcasted signals emulated by the synthetic biology suit per say, inclusive of brain and CNS.

Additional work, will overlay EEG pattern from brain to transmitted networks. Keep in mind this is from a highly contaminated individual where people using ChinaCCP PLA Xi's Magic Weapon via Tik Tok tagged the person with their smart phones and also the person got tagged by local wifis in neighborhood in urban area. All broadcasted network names are nonsense, due to the mesogen, graphene and nanotech system simply

emulating signals from prior environmental contamination, given current local environment spectrum and vibrational energy.

EEG State A:

```

~$ nmcli dev wifi
IN-USE BSSID          SSID          MODE CHAN RATE    SIGNAL BARS SECURITY
58:96:30:4E:50:3B SETUP-5037    Infra 6  130 Mbit/s 37  ████ WPA2
58:96:30:4E:50:3C --            Infra 6  130 Mbit/s 35  ████ WPA2
58:96:30:4E:50:40 --            Infra 6  130 Mbit/s 35  ████ WPA1 WPA2 802.1X
BA:5E:71:55:A8:18 SETUP-A81B    Infra 6  540 Mbit/s 30  ████ WPA2
BA:5E:71:55:A8:1D --            Infra 6  540 Mbit/s 30  ████ WPA2 802.1X
08:A7:C0:25:85:1B Slytherin Common Room Infra 1  130 Mbit/s 29  ████ WPA2
BA:5E:71:55:A8:19 --            Infra 6  540 Mbit/s 29  ████ WPA2
BA:5E:71:55:A8:1B --            Infra 6  540 Mbit/s 29  ████ WPA2
BA:5E:71:5C:A8:23 CoxWiFi       Infra 44 540 Mbit/s 25  ████ --
BA:5E:71:5C:A8:26 --            Infra 44 540 Mbit/s 25  ████ WPA2 802.1X
BA:5E:71:5C:A8:22 --            Infra 44 540 Mbit/s 24  ████ WPA2
BA:5E:71:5C:A8:24 --            Infra 44 540 Mbit/s 24  ████ WPA2
BA:5E:71:5C:A8:21 SETUP-A81B    Infra 44 540 Mbit/s 24  ████ WPA2
08:A7:C0:25:85:23 Slytherin Common Room Infra 157 540 Mbit/s 17  ████ WPA2
08:A7:C0:25:85:25 CoxWiFi       Infra 157 540 Mbit/s 17  ████ --
08:A7:C0:25:85:26 --            Infra 157 540 Mbit/s 17  ████ WPA2
~$

```

EEG State B:

```

IN-USE BSSID          SSID          MODE CHAN RATE    SIGNAL BARS SECURITY
BA:5E:71:55:A8:18 SETUP-A81B    Infra 6  540 Mbit/s 27  ████ WPA2
BA:5E:71:5C:A8:21 SETUP-A81B    Infra 44 540 Mbit/s 25  ████ WPA2
BA:5E:71:5C:A8:24 --            Infra 44 540 Mbit/s 22  ████ WPA2
BA:5E:71:5C:A8:22 --            Infra 44 540 Mbit/s 20  ████ WPA2
BA:5E:71:5C:A8:23 CoxWiFi       Infra 44 540 Mbit/s 20  ████ --

```

EEG State C:

IN-USE	BSSID	SSID	MODE	CHAN	RATE	SIGNAL	BARs	SECURITY
	58:96:30:4E:50:3C	--	Infra	6	130 Mbit/s	32	█	WPA2
	58:96:30:4E:50:40	--	Infra	6	130 Mbit/s	32	█	WPA1 WPA2 802.1X
	BA:5E:71:55:A8:1B	--	Infra	6	540 Mbit/s	30	█	WPA2
	BA:5E:71:55:A8:19	--	Infra	6	540 Mbit/s	29	█	WPA2
	58:96:30:4E:50:3B	SETUP-5037	Infra	6	130 Mbit/s	29	█	WPA2
	08:A7:C0:25:85:1C	--	Infra	1	130 Mbit/s	27	█	WPA2
	BA:5E:71:55:A8:18	SETUP-A81B	Infra	6	540 Mbit/s	27	█	WPA2
	BA:5E:71:55:A8:1D	--	Infra	6	540 Mbit/s	27	█	WPA2 802.1X
	08:A7:C0:25:85:20	--	Infra	1	130 Mbit/s	25	█	WPA1 WPA2 802.1X
	08:A7:C0:25:85:1B	Slytherin Common Room	Infra	1	130 Mbit/s	25	█	WPA2
	BA:5E:71:5C:A8:26	--	Infra	44	540 Mbit/s	25	█	WPA2 802.1X
	BA:5E:71:5C:A8:21	SETUP-A81B	Infra	44	540 Mbit/s	24	█	WPA2
	BA:5E:71:5C:A8:23	CoxWiFi	Infra	44	540 Mbit/s	24	█	--
	08:A7:C0:25:85:23	Slytherin Common Room	Infra	157	540 Mbit/s	19	█	WPA2

Command line / Terminal (non-root):

```

IN-USE BSSID SSID MODE CHAN RATE SIGNAL BARs SECURITY
* 0E:B4:09:A6:E9:A4 -- Infra 6 130 Mbit/s 80 █ WPA2
* 0F:B4:09:A6:F9:A4 iPhone Infra 6 130 Mbit/s 61 █ WPA2
BA:5E:71:55:A8:18 SETUP-A81B Infra 6 540 Mbit/s 34 █ WPA2
BA:5E:71:55:A8:19 -- Infra 6 540 Mbit/s 34 █ WPA2
08:A7:C0:25:85:1C -- Infra 1 130 Mbit/s 32 █ WPA2
08:A7:C0:25:85:1E -- Infra 1 130 Mbit/s 29 █ WPA2
BA:5E:71:55:A8:1D -- Infra 6 540 Mbit/s 29 █ WPA2 802.1X
BA:5E:71:5C:A8:21 SETUP-A81B Infra 44 540 Mbit/s 29 █ WPA2
BA:5E:71:5C:A8:20 -- Infra 44 540 Mbit/s 29 █ WPA2 802.1X
BA:5E:71:5C:A8:22 -- Infra 44 540 Mbit/s 29 █ WPA2
BA:5E:71:5C:A8:24 -- Infra 44 540 Mbit/s 29 █ WPA2
08:A7:C0:25:85:20 -- Infra 1 130 Mbit/s 27 █ WPA1 WPA2 802.1X
BA:5E:71:55:A8:1B -- Infra 6 540 Mbit/s 27 █ WPA2
BA:5E:71:5C:A8:23 COXWIFI Infra 44 540 Mbit/s 25 █ --
    
```

```

IN-USE BSSID SSID MODE CHAN RATE SIGNAL BARs SECURITY
* 0E:B4:09:A6:E9:A4 iPhone Infra 6 130 Mbit/s 87 █ WPA2
BA:5E:71:55:A8:1D -- Infra 6 540 Mbit/s 32 █ WPA2 802.1X
BA:5E:71:5C:A8:21 SETUP-A81B Infra 44 540 Mbit/s 32 █ WPA2
BA:5E:71:55:A8:19 -- Infra 6 540 Mbit/s 30 █ WPA2
BA:5E:71:55:A8:1B -- Infra 6 540 Mbit/s 30 █ WPA2
58:96:30:4E:50:40 -- Infra 6 130 Mbit/s 30 █ WPA1 WPA2 802.1X
BA:5E:71:5C:A8:27 -- Infra 44 540 Mbit/s 30 █ WPA2
BA:5E:71:5C:A8:24 -- Infra 44 540 Mbit/s 30 █ WPA2
BA:5E:71:5C:A8:23 COXWIFI Infra 44 540 Mbit/s 30 █ --
BA:5E:71:55:A8:18 SETUP-A81B Infra 6 540 Mbit/s 29 █ WPA2
58:96:30:4E:50:3C -- Infra 6 130 Mbit/s 29 █ WPA2
58:96:30:4E:50:3E -- Infra 6 130 Mbit/s 29 █ WPA2
BA:5E:71:5C:A8:26 -- Infra 44 540 Mbit/s 29 █ WPA2 802.1X
    
```

IN-USE	BSSID	SSID	MODE	CHAN	RATE	SIGNAL	BARS	SECURITY
*	0E:B4:09:A6:E9:A4	iPhone	Infra	6	130 Mbit/s	87		WPA2
*	0E:B4:09:A6:E9:A4	--	Infra	6	130 Mbit/s	80		WPA2
	BA:5E:71:55:A8:18	SETUP-A81B	Infra	6	540 Mbit/s	34		WPA2
	BA:5E:71:55:A8:19	--	Infra	6	540 Mbit/s	34		WPA2
	08:A7:C0:25:85:1C	--	Infra	1	130 Mbit/s	32		WPA2
	08:A7:C0:25:85:1E	--	Infra	1	130 Mbit/s	29		WPA2
	BA:5E:71:55:A8:1D	--	Infra	6	540 Mbit/s	29		WPA2 802.1X
	BA:5E:71:5C:A8:21	SETUP-A81B	Infra	44	540 Mbit/s	29		WPA2
	BA:5E:71:5C:A8:22	--	Infra	44	540 Mbit/s	29		WPA2 802.1X
	BA:5E:71:5C:A8:26	--	Infra	44	540 Mbit/s	29		WPA2
	BA:5E:71:5C:A8:24	--	Infra	44	540 Mbit/s	29		WPA2
	08:A7:C0:25:85:20	--	Infra	1	130 Mbit/s	27		WPA1 WPA2 802.1X
	BA:5E:71:55:A8:1B	--	Infra	6	540 Mbit/s	27		WPA2
	BA:5E:71:5C:A8:23	CoxWiFi	Infra	44	540 Mbit/s	25		--

In addition to the EEG based spectrum broadcast changes monitored via an emulated protocol (transducer type, charge/discharge), the disruption of pre-existing encoded mesogen, graphenes and self-replicating nanotechnology followed by the reconnect to online hardware and nation states where a VPN + TOR stack used to establish CIPOE, results in duplicate networks trained on various actions and information. Therefore, reverse engineering not only ChinaCCP NeuroStrike, but also Intelligence Community IC Spy Agencies (global) utilize a nation state and state/territory based AI BCPS monitoring system, such that when you enter a country, a new mesogen subnetwork/neural net is built-out and established (especially if you pulse a square wave with leading spiked edge on the front end prior to traveling to the country and chelate to remove the precoded mesogen, graphene and self-replicating nanotechnology). So, if you want to reduce your niBMI signature that information is public now, thanks to ChinaCCP PLA Xi's Magic Weapon getting reverse engineered and confirmed to exist.

```
Untitled 1 ... - x :~$ nmcli dev wifi rescanned while already scanning.
File Edit View Insert :~$ nmcli dev wifi

IN-USE BSSID SSID MODE CHAN RATE SIGNAL BARS S
* 16:D6:89:10:B8:B0 iPhone Infra 6 130 Mbit/s 68 [signal] W
  BA:5E:71:55:A8:18 SETUP-A81B Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1D -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:19 -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1B -- Infra 6 540 Mbit/s 37 [signal] W
  BA:5E:71:5C:A8:21 SETUP-A81B Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:23 CoxWiFi Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:22 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:26 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:24 -- Infra 44 540 Mbit/s 27 [signal] W

...skipping...

IN-USE BSSID SSID MODE CHAN RATE SIGNAL BARS S
* 16:D6:89:10:B8:B0 iPhone Infra 6 130 Mbit/s 68 [signal] W
  BA:5E:71:55:A8:18 SETUP-A81B Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1D -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:19 -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1B -- Infra 6 540 Mbit/s 37 [signal] W
  BA:5E:71:5C:A8:21 SETUP-A81B Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:23 CoxWiFi Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:22 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:26 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:24 -- Infra 44 540 Mbit/s 27 [signal] W

~
~
~
~
~
~
~
~
~
~
~

set mark: ...skipping...

IN-USE BSSID SSID MODE CHAN RATE SIGNAL BARS S
* 16:D6:89:10:B8:B0 iPhone Infra 6 130 Mbit/s 68 [signal] W
  BA:5E:71:55:A8:18 SETUP-A81B Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1D -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:19 -- Infra 6 540 Mbit/s 39 [signal] W
  BA:5E:71:55:A8:1B -- Infra 6 540 Mbit/s 37 [signal] W
  BA:5E:71:5C:A8:21 SETUP-A81B Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:23 CoxWiFi Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:22 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:26 -- Infra 44 540 Mbit/s 29 [signal] W
  BA:5E:71:5C:A8:24 -- Infra 44 540 Mbit/s 27 [signal] W

~
~
~
~
~
```

The same command picks up a bunch of different neurotechnology layered broadcasting SSIDs. This is because the SSID sets are from corrupted/contaminated mesogens, such that the same nmcli dev wifi command results in erroneous data, which gets into buffer under and overflow attacks into the neurotechnology programmed niBMI and associated smart devices (using a mesogen-on-a-chip) attack approach or a mesogen-in-a-person attack approach for neurohacking and neurowar.

Note, contamination occurs when you are off-grid and not connected to your telco's network with smart device when you are exposed to self-replicating nanotechnology in other people. Depending upon what AI BCPS the people you are adjacent to, determines what contamination you get and from what nation state alliance (friendly) or coalition (foe).

Welcome to the weird world of AI BCPS optogenetics, neurowars and interference of communications. Here is a communications example, where neurotechnology hacked in a person can add utter confusion to their lives:

CONOPS in real life observed with proof on some of the items:

1. Person with contamination from ChinaCCP has their synthetic biology enabled non-invasively dosed brain-machine-interface niBMI programmed to broadcast subliminal or synthetic telepathy messages to people around them. Such as, while you are driving the niBMI contaminated broadcasts to people in front of you, get out of my way so they get over to the left or right lane or simply pull over on the side of the road or in one case, observed by team member contaminated, **a car did a 180 degree turn around midlane in road on a 55-60 mph state highway going in reverse flow against oncoming traffic (extremely dangerous, this neurostrike by ChinaCCP to all nations).**
2. Person X walks into establishment Y and people in establishment Y all hear something that Person's X contaminated niBMI is broadcasting, but not what person X is actually doing or thinking. This is the "false-positive" attack that ChinaCCP Neurostrike can do to people that it wants to modify, manipulate or remove.

3. Person X tells person Z information “ABC”, but the contamination interferes with the message and person Z actually hears “CAB” which if this is in the form of directions then it will utterly confuse all rational movement and logical thinking. This is the “decapitating strike that can be made by neuroweapons and neurohackers” prior to a kinetic attack that Robert McCreight at National Defense University NDU refers to. Keep in mind ChinaCCP coalition AI BCPS can contaminate you, program a dormant “globule” of the synthetic biology junk that is fully linked to your mind and body and then when a “decapitating strike” occurs can activate you to be weaponized or perform a non-normal action or communication by you to the world around you. Directly harming people you love and care about, against your free will.
4. At the check out counter of a retail point of sale system, the islanded mesogen, graphene and self-replicating nanotech module that was caused by ChinaCCP self-replicating nanotech contamination from prisoners, was continued to be retrained, but with our team’s cybersecurity and neurosecurity knowledge the mesogen, graphene and nanotech globule decided on its’ own to attack the person at the retail point of sale POS terminal, and cause errors on the check out, such that even after completion of purchase (verified verbally) the mesogen acted on its’ own accord to reduce the purchase price due to concern for budget. Literally, this is verifiable with receipt and of course Intelligence Community IC data logs from the smartphone on person. Part of the training for the mesogen with cybersecurity and counter ChinaCCP economic warfare attacks was to train it to attack business proxies that work to help ChinaCCP export goods. This checkout terminal neurohack was at a Wal-Mart in America. How did this occur?
 - a) the smart phone wifi access hotspot broadcasting with bluetooth
 - b) the person broadcasting wifi and other spectrum

Established a wireless cloud per say of spectrum between the two people and smart devices and the mesogen went to work hacking away based upon what it had learned from its’ environment. Mesogens, graphenes and self-replicating nanotech are not smart, they are trained by their environment, so if you get contaminated by prisoners (think police, sheriffs, volunteers), then your mesogen may learn some

things that you would not want it to learn or do, based upon your upbringing, morals and ethics.

Therefore, it is logical to conclude that ChinaCCP PLA Xi's Magic Weapon "NeuroStrike" is exportable, not only through cybersecurity penetration attacks into another nation state's networks and niBMI personnel and citizens, but also by exporting mesogens pre-trained in goods, which of course America helped build-up ChinaCCP export capacity. Thus, ChinaCCP has two-pronged "Magic Weapon" attack vector, where one part of it is enabled through hardware with neurotechnology chipsets in it (pipelines), software apps such as Tik Tok (content), but now a "ship/barge" type attack where the payload is inventoried and programmed inside of a mesogen, graphene and self-replicating nanotech network, that is then dosed into goods and all types of products exported, consumed by people in the world and then energized with their bioenergetic profile and local spectrum (wifi, bluetooth, cellular) that then goes to work.

We are living in extremely disturbing times, welcome to WW3, enabled by nanotechnology, neurotechnology and synthetic biology. In my humble opinion we are living within the largest global scale IP theft followed by genocide in the world's known history. Why? because after the mesogen steals the information, it can broadcast harmful frequencies to destroy tissue and be programmed to form blood-clot type structures. Be safe out there, the world is extremely weird now, so don't get gaslighted by ChinaCCP NeuroStrike. Make sure to buy goods from your local producers, such that the pervasive neurotechnology and nanotechnology is locally trained on your community's values or nation states that you share common core values, morals and ethics with, cause now the products contain mesogens, graphenes and nanotech (intentional (in ChinaCCP case) or not.

Brandon's Substack is a reader-supported publication. To receive new posts and support my work, consider becoming a free or paid subscriber.

TIFVISION@PROTONMAIL.COM

Subscribe



14 Likes · 2 Restacks

4 Comments



Write a comment...



The Mick The Mick's Substack Feb 6

Beyond duty research, any one can be a "Mr Smith" in the neural matrix, it's not them or you, it's behavioral science in the telecoms industry.

Dear freedom fighter, you are not MAD, your not unloved, your just (shedding) the wrong identifier code, which others subconsciously react to, even family members!

"Turning the other cheek" has another indepth meaning!

Keep up the brilliant work,

How do we make this info entertaining and digestible to the ones afflicted next.....and render this code implanted inoperable, a challenge for the true "hackers who care" around the world.

Cheers

♡ LIKE 💬 REPLY ↗ SHARE



Poetry or so they say S.L.'s Substack Jan 20

<https://hypnodynecorp.com/>

♡ LIKE 💬 REPLY ↗ SHARE



2 more comments...

© 2024 Brandon Iglesias · [Privacy](#) · [Terms](#) · [Collection notice](#)
[Substack](#) is the home for great writing